

PRODUCT SPECIFICATION

MODEL NO	HD08VR PIR Series		
INPUT	12VDC		
DESCRIPTION	PIR SENSOR (BLUETOOTH & REGULAR)		

PIR SENSOR (BLUETOOTH & REGULAR)







SHENZHEN HAISEN TECHNOLOGY CO.,LTD

13th Floor, C1 Building, Songshan Lake Intelligent Valley, Liaobu Town, Dongguan City, 523808, Guangdong. Contact us info@haisensz.com

www.haisensz.com

Series Work of Art All Rights Reserved by HAISEN

WRITTEN BY	夏勇
CHECKED BY (R&D)	崀蒙
CONFIRMED BY (SALES)	陈启安、
DATE	2023.05.02



Features & Benefits







HD08VR PIR Series

- NLC/DLC Qualified Product
- Tiny PIR Sensor with/out Bluetooth-Mesh, Microwave Version Interchangeable.
- Audio-Jack Classic Connection, 0-10V Dimming, with Daylight Harvesting
- Suitable for Indoor Lighting, Panel, Troffer etc.

Demensions Unit:mm



Wiring Diagram





Parameters

Standby Period 25min/30min/45min/60min/+∞	min/ 25min/ ux/120Lux/	
Detection Distance Radius 2-4m Detection Angle Fresnel Lens ≤120° Fersnel Lens 360° Ceiling M Detection Area 25%/50%/75%/100% Holdtime 5s/ 30s/ 1min/ 2min/ 3min/ 5min/ 10min/ 15min/ 20r 30min/ 45min/ 60min/ 90min/ 120min Disable/400Lux/350Lux/300Lux/250Lux/200L Bolux/50Lux/30Lux/10Lux/2Lux Standby Dimming Level 10%/20%/30%/50% 0s/5s/30s/1min/2min/3min/5min/10min/15min/2 25min/30min/45min/60min/+∞	min/ 25min/ ux/120Lux/	
Detection Angle Fresnel Lens ≤120° Fersnel Lens 360° Ceiling M Detection Area 25%/50%/75%/100% Holdtime 5s/ 30s/ 1min/ 2min/ 3min/ 5min/ 10min/ 15min/ 20r 30min/ 45min/ 60min/ 90min/ 120min Daylight Threshold Disable/400Lux/350Lux/300Lux/250Lux/200L 80Lux/50Lux/30Lux/10Lux/2Lux Standby Dimming Level 10%/20%/30%/50% Standby Period 0s/5s/30s/1min/2min/3min/5min/10min/15min/2 25min/30min/45min/60min/+∞	min/ 25min/ ux/120Lux/	
Detection Area 25%/50%/75%/100% Holdtime 5s/ 30s/ 1min/ 2min/ 3min/ 5min/ 10min/ 15min/ 20r 30min/ 45min/ 60min/ 90min/ 120min Daylight Threshold Disable/400Lux/350Lux/300Lux/250Lux/200L 80Lux/50Lux/30Lux/10Lux/2Lux Standby Dimming Level 10%/20%/30%/50% Standby Period 0s/5s/30s/1min/2min/3min/5min/10min/15min/2 25min/30min/45min/60min/+∞	min/ 25min/ ux/120Lux/	
Holdtime 5s/ 30s/ 1min/ 2min/ 3min/ 5min/ 10min/ 15min/ 20r 30min/ 45min/ 60min/ 90min/ 120min Daylight Threshold Disable/400Lux/350Lux/300Lux/250Lux/200L 80Lux/50Lux/30Lux/10Lux/2Lux Standby Dimming Level 10%/20%/30%/50% Os/5s/30s/1min/2min/3min/5min/10min/15min/2 25min/30min/45min/60min/+∞	ux/120Lux/	
Holdtime 30min/ 45min/ 60min/ 90min/ 120min Daylight Threshold Disable/400Lux/350Lux/300Lux/250Lux/200L 80Lux/50Lux/30Lux/10Lux/2Lux Standby Dimming Level 10%/20%/30%/50% Standby Period 0s/5s/30s/1min/2min/3min/5min/10min/15min/2 25min/30min/45min/60min/+∞	ux/120Lux/	
Daylight Threshold 80Lux/50Lux/30Lux/10Lux/2Lux Standby Dimming Level 10%/20%/30%/50% Standby Period 0s/5s/30s/1min/2min/3min/5min/10min/15min/2 25min/30min/45min/60min/+∞		
Standby Period 0s/5s/30s/1min/2min/3min/5min/10min/15min/2 25min/30min/45min/60min/+∞	 20min/	
Standby Period 25min/30min/45min/60min/+∞	20min/	
D. F. L. M. J. L. TOL. (50), (40), (40)	0s/5s/30s/1min/2min/3min/5min/10min/15min/20min/ 25min/30min/45min/60min/+∞	
SENSOR PARAMETER Daylight threshold as 30lux/ 50lux/ 80lux/ 120lux/ 320lux/ 350lux/ 350lux/ 400lux Dusk/Dawn Sensing/ Photocell Standby period as +\infty; Standby dimming level as 10\%/20\%/30\%	Standby period as +∞;	
1. Adjust "daylight" value higher than 50lux 2. Preset "standby period" 0S 3. press MW/PIR button 3 times till MW/PIR icolon on LCD screen, daylight harvesting function er (With BLE verison, press DH button, daylight h function enabled.)	nabled.	
Dimming Play Manually dim (10%-100%) , Sensor mode (60%	o-100%)	
Wireless Control Range >20m/65ft		
BLUETOOTH INFORMATION APP Download Supported in both APP Store and Google Play	Market	
Input Range 12VDC		
INPUT Voltage Range 10-15VDC		
Current <15mA		
Signal DIM 0-10V		
OUTPUT Connection TipDIM+, RingVCC, SleeveGND		
Stand-by Power <0.5W		
Working Temp -25°C~+60°C		
ENVIRONMENT Storage Temp -40°C~+80°C Humidity: 85% (non-condensation	n)	
CERTIFICATE & STANDARDS Environmental Requirements In accordance with CE ROHS		
CERTIFICATE & STANDARDS IP Rating IP20		

Model Information

Model Number	Sensor Type	Connector	Controller
HD08VR-P-1	PIR	Audio Jack	Remote Control HD05R
HD08VR-PB-1			HAISEN BLUE APP





Detection Coverage

HD08VR

Mounting Height <4m/13.12 Ceiling Mounted

Detection Distance Radius 2-4m/6.56-13.12ft







Performance

1.Daylight Harvesting

- 1. Adjust "daylight" value higher than 50lux
- 2. Preset "standby period" 0S
- 3. press MW/PIR button 3 times till MW/PIR icons both blicking on LCD screen, daylight harvesting function enabled. (With BLE verison, press DH button, daylight harvesting function enabled.)











When ambient brightness is lower than preset lux level, sensor will turn on light automatically and keep dimming according to the change of the ambient brightness;

when outside is getting darker, the inside will be brighter, and brighter darker.

Light OFF when ambient brightness becomes higher than the preset lux level.




2.Dusk/Dawn function

HD08VR is able to differentiate artificial light brightness from natural light after installed inside the fixture, and automatically turn off light when ambient brightness exceeds preset lux level.

Precondition of Dusk/Dawn function:

- 1. Standby period is +∞;
- 2.Standby dimming level is on 10%,20% or 30%;
- 3. Daylight threshold is on 30lux/50lux/80lux/120lux/200Lux/250Lux/300Lux/350Lux/400Lux



3. With Dusk/Dawn function



With insufficient ambient brightness, sensor turns on light and keeps it at standby dimming level even if there is no motion or persence.



When sensor detects motion or presence it will bring the light level up to 100%.



After motion is no longer detected, fixture remains at 100% for hold time.



After pre-set hold time period it will dim light to standby dimming level again and always keep it.



With sufficient ambient brightness, sensor will turn OFF light automatically.

4. Without daylight disabled



Sensor turns ON light when motion is detected.



Sensor keeps for a hold time period after motion leaves



Sensor dims light to standby dimming level after hold time if there is still no motion



Sensor turns OFF light after standby period

5. With Daylight Threshold



With sufficient daylight, the sensor keeps light OFF even motion gets detected



With insufficient daylight, the sensor turns light ON when motion gets detected



After there's no motion detected, the sensor keeps light ON 100% for holdtime.



After holdtime, sensor dims light to standby dimming level for standby period. if the standby period has been set as Os, sensor turns light OFF automatically after holdtime.



The sensor turns OFF light automatically after the standby period when there's no motion detected.





- 1. The sensor should be installed by qualified electrician and ensure power is OFF before installation.
- 2. Please read the instruction carefully before using the product and keep it well for other users to read any time.
- 3. We reserve the right to modify any incorrect text, image and technical parameters.
- 4. Any unauthorized modification is forbidden. Otherwise all guarantees will be immediately invalid.
- 5. Product could be optimized without prior notice.

APPLICATION NOTES

- 1. Suitable for indoor application, half/completely outdoor environment conditions might trigger the sensor.
- 2. Suitable for ceiling mount installation, adjust sensitivity properly if it's installed on side-wall because it gets more sensitive.
- 3. PIR sensor can't be placed inside any material, fresnel lens must completely exposed in air.
- 4. Fresnel lens of the PIR sensor must be lower than light fixture.
- 5. Not suitable environment if there's sudden changed temperature of airflow for PIR sensor.
- 6. Not suitable environment if there's shelves blocking between the sensor and presence area.
- 7. Detection area options may NOT working obviously because it works depends on fresnel lens, it's physically defined.
- 8. Detection distance performance works better when moving parallelly than moving towards to the sensor.
- 9. Daylight testing delivered in bright day without shadow or specially designed lampshade or lens.
- 10. Dimming performance differs when connected to different drivers; If the driver can't completely turn OFF, sensor can't either.
- 11. Input power voltage must be stable with float less than 10%.
- 12. The first time powered ON sensor, light will be ON 100% for about 45S then dims to standby level or OFF.
- 13. Distance detection is delivered by testing person about 165cm in open area as reference, the result differs by size and speed of moving objects, mounting height and real-life situation.